

An Analysis of a Regional System of Variably Priced Lanes in the Washington Region – Initial Results


Presentation to the TPB Value Pricing Task Force
September 20, 2006

Ron Kirby, Director of Transportation Planning
National Capital Region Transportation Planning Board

2

1) TPB Value Pricing Task Force


- Created Fall 2003 following June 2003 Regional Conference
- Examine the benefits of value pricing for the Washington region
- Goals approved by TPB, April 2005
- Study a regional system of variably priced lanes (VPLs)



3

Current TPB Value Pricing Analyses


- Furthering work of Value Pricing Task Force
- Assisting Virginia DOT in analyzing key corridors
 - Beltway
 - I-95/I-395
- Regional Mobility and Accessibility Study (RMAS)
 - “What If?” scenario for regional system of VPLs
 - Transit Sensitivity



4

2) Current Value Pricing Projects

- Intercounty Connector (ICC)
 - 2004 CLRP Update*
- Beltway HOV
 - 2005 CLRP Update*
- I-95/I-395
 - Under development
- Regional Network
 - Regional Mobility and Accessibility Study




* Federal Record of Decision approved

Maryland Intercounty Connector (ICC)

(Added to CLRP November 2004)

- 18 miles, 6 lanes, 9 interchanges
- Tolls vary by time of day (peak, off-peak)
- Express bus service




5

HOT lanes on the Capital Beltway in Northern Virginia

(Added to the CLRP October 2005)

- 4 new lanes added along 15-mile stretch
- Public-private partnership
- Free for HOV 3+, others pay toll that varies by time of day



-Proposed tolls range from \$0.10 to \$0.35 per mile

6

TPB Analysis: Capital Beltway Proposal in Northern Virginia

7



- Tolls will vary by time of day, segment, and direction to ensure high level of service


TPB Analysis Results, Tolls per Mile, 2010

Segment	Southbound		Northbound	
	AM	PM	AM	PM
1	\$0.20	\$0.20	\$0.20	\$0.60
⋮	⋮	⋮	⋮	⋮
3	\$0.20	\$1.10	\$0.70	\$0.60
⋮	⋮	⋮	⋮	⋮
⋮	⋮	⋮	⋮	⋮
6	\$0.20	\$0.40	\$0.20	\$0.60

Currently Under Development: I-95/395 HOT Lanes Proposal

8

- HOT lanes proposed by two private consortia in 2004/2005
- Assumes Northern Virginia Beltway HOT Lanes
- Add new capacity
 - Widen existing reversible HOV lanes to Dumfries from 2 to 3 lanes (30 miles)
 - Extend 2 reversible HOT lanes from Dumfries to Fredricksburg area (26 miles)
- Free for HOV3+, others pay toll
 - Proposed peak period tolls range from \$0.10 to \$0.30 per mile



TPB Analysis: I-95/I-395 Proposal

9



- Tolls will vary by time of day, segment, and direction to ensure high level of service

TPB Analysis Results, Tolls per Mile, 2010

Segment	Southbound (PM Peak)	Northbound (AM Peak)
1	\$1.10	\$0.80
2	\$1.00	\$1.10
3	\$1.60	\$1.00
4	\$0.80	\$0.80
5	\$0.23	\$0.23

3) Technical Methods


10

- “Toll time penalty” method
- Tolls can vary by segment, direction and time of day to ensure high level of service
- Tolls affect trip distribution, mode choice and traffic assignment

11

Toll Time Penalty Method


- Different values of time (“willingness to pay”) used for different income groups



12

Toll Time Penalty Method

- Tolls translated into time penalties in 4-step model
 - Model run with base tolls
 - Higher tolls calculated for congested variably priced lane segments to ensure free-flow conditions
 - Model run with new tolls and travel times
- Two full model runs
 - Captures impacts of tolls on trip distribution, mode choice and traffic assignment



4) Analyzing a Regional System of Variably Priced Lanes

13


- Develop “starting point” scenario
- Analyze “starting point” scenario
- Conduct sensitivity tests, including impacts of enhanced transit
- Identify high potential corridors for first phase regional network
- Access and Egress Issues

Develop “Starting Point” Scenario

14

In addition to the ICC, Beltway and I-95/395 as described in previous slides:

- All Freeways:
 - Add 2 VPLs
- Arterials outside of beltway:
 - Add 1 VPL
- Existing HOV lanes:
 - Convert to VPLs
- Direct access ramps at key interchanges
- Incorporate existing transit service



Variably Priced Lanes (VPLs):


- VA: HOT lanes, HOV 3+ free
- DC, MD: Express Toll Lanes (ETL), all pay

Initial Results: Impacts of Enhanced Transit

17

Transit service levels increased on Beltway and I-95/395 HOT Lane transit routes for 2010:

- Decrease in toll rates and HOV use
- Increase in transit use
- Slight increase in VMT
- Total revenue essentially unchanged
- Slight increase in speeds on mixed use lanes



Identify High Potential Corridors for First Phase Regional Network

18

- Based on starting point scenario, define “first phase” regional network of high potential corridors
- Regional network will have higher tolls and usage than sum of individual, stand-alone segments (the “network effect”)
- Land use impacts of regional network will need to be assessed and incorporated

19

Access and Egress Issues

- Can vehicles get on and off the toll lanes without delay?
 - Some locations of potential concern:
 - 14th Street Bridge
 - Beltway/I-95/I-395 Interchange
 - Tysons Corner
 - Planned use of microsimulation tools to analyze potential chokepoints



20

6) Findings to Date

- Toll levels will have to vary by segment, direction and time of day
- Transit services will affect demand and toll levels, and need to be explicitly incorporated
- Full network of VPLs has higher value than the sum of the individual segments (the “network effect”)
- Access and egress issues need to be addressed

7) Next Steps

- Incorporate DC bridges and other facilities into an expanded test network
 - Under grant from FHWA Value Pricing Pilot Program
- Additional sensitivity tests
- Microsimulation studies
- Land use impacts (RMAS)