

ITEM 8 – Action

May 17, 2017

Approval of Maryland Department of Transportation (MDOT)
Additional Project Submission for the Out-Of-Cycle Air Quality
Conformity Analysis for the Amendment to the 2016 CLRP and
FY 2017-2022 TIP

Staff

Recommendation: Adopt Resolution R23-2017 to approve the project submission for inclusion in the out-of-cycle air quality conformity analysis for the Amendment to the 2016 CLRP and FY 2017-2022 TIP

Issues: None

Background: At the April 19 meeting, the board was briefed on the MDOT I-270 Innovative Congestion Management project submitted for inclusion in an air quality conformity analysis for the Amendment to the 2016 CLRP and FY 2017-2022 TIP, which was released for a 30-day public comment period that ended May 13. The board will be asked to approve the additional project submission for inclusion in the air quality conformity analysis. The draft conformity results for all of the projects are scheduled to be released for public comment on September 14, 2017 and the TPB is scheduled to adopt the

entire plan amendment and conformity
analysis at its October 18, 2017 meeting.



MEMORANDUM

TO: Transportation Planning Board
FROM: Lyn Erickson, TPB Plan Coordination and Program Director
SUBJECT: Proposed Amendments to the 2016 Constrained Long-Range Transportation Plan (CLRP) and the FY 2017-2022 Transportation Improvement Program (TIP)
DATE: May 11, 2017

At the April 19, 2017 meeting, the TPB adopted Resolution R20-2017 approving projects submitted by the Maryland Department of Transportation (MDOT) and the Virginia Department of Transportation (VDOT) to be included in an out-of-cycle air quality conformity analysis of the 2016 CLRP Amendment and the FY 2017-2022 TIP, as well as the scope of work for that analysis. Prior to approval, the resolution was amended to state that TPB staff would not include access points east of the US Route 50 interchange in the air quality conformity analysis until the Fairfax County Board of Supervisors had a chance to meet and act on those points. The amended resolution stated that if the Board of Supervisors moved to change any access points, that TPB staff would follow that instruction. Any decisions or instructions provided by Fairfax County and/or VDOT will be provided in writing to the TPB at the May 17 meeting.

Also at the April 19 meeting, the board was briefed on an additional project submitted by MDOT for inclusion in the air quality conformity analysis: the I-270 Innovative Congestion Management project. MDOT provided a project description and air quality conformity inputs for this project and these materials (attached) were released for public comment on April 13, 2017. Shortly after the comment period began, MDOT discovered an omission in the one of the 14 project elements, and subsequently provided the information in their April 25 letter (attached). This information was immediately posted to the public comment website. The TPB Technical Committee reviewed the project, including the omitted element, at its May 5 meeting.

The public comment period ends on May 13. All comments received can be reviewed online at mwcog.org/TPBcomment. The board will be presented with a summary and compilation of the comments received at the April 19 meeting. TPB staff evaluate each comment to determine if it is a comment that pertains to the TPB planning policies and process. If so, then the TPB staff will provide a response. If it is a comment that pertains to a specific project or pertains to corridor-specific details that are not directly associated with the TPB planning policies and process, TPB staff then works with the implementing agency to provide the best available information to assist the TPB members in deliberation and the TPB can then determine whether the comment or concern has been satisfactorily addressed. On May 17, the Board will be asked to accept the recommended responses to comments received for the project submissions for the out-of-cycle air quality conformity analysis for the Amendment to the 2016 CLRP and FY 2017-2022 TIP. The board will also be asked to approve resolution R23-2017 which will approve the additional project for inclusion in the air quality conformity analysis of the 2016 CLRP Amendment and the FY 2017-2022 TIP on May 17.

SUMMARY OF PROJECT

MDOT is proposing to implement the I-270 Innovative Congestion Management project between I-70 and I-495 in Frederick and Montgomery counties. The project includes 14 roadway improvements including extensions of acceleration and deceleration lanes, creating auxiliary lanes by connecting acceleration and deceleration lanes, reconfiguring exits, and restriping lanes. The project will also implement innovative technologies to manage congestion including adaptive ramp metering, active traffic management, and virtual weigh stations. More information can be found on this project on the CLRP project description form starting on page 7.

NEXT STEPS

Following the TPB approval of the project inputs on May 17, the air quality conformity analysis will be modified to include this project. The analysis will be conducted between May and September. Draft results will be published in September at the commencement of a second public comment period. Following that, the TPB will be asked to approve the air quality conformity analysis and the off-cycle CLRP Amendment on October 18, 2017.

**NATIONAL CAPITAL REGION TRANSPORTATION PLANNING BOARD
777 North Capitol Street, N.E.
Washington, D.C. 20002**

**RESOLUTION ON INCLUSION IN AN OFF-CYCLE AIR QUALITY CONFORMITY
ANALYSIS OF AN ADDITIONAL PROJECT SUBMISSION FOR THE
2016 FINANCIALLY CONSTRAINED LONG RANGE PLAN (CLRP) AMENDMENT
AND THE FY 2017-2022 TRANSPORTATION IMPROVEMENT PROGRAM (TIP)**

WHEREAS, the National Capital Region Transportation Planning Board (TPB), as the metropolitan planning organization for the Washington metropolitan area, has the responsibility under the provisions of Fixing America's Surface Transportation (FAST) Act for developing and carrying out a continuing, cooperative, and comprehensive transportation planning process for the metropolitan area; and

WHEREAS, the Joint Planning Regulations issued February 14, 2007 by the Federal Transit Administration (FTA) and the Federal Highway Administration (FHWA) require that the long-range transportation plan be reviewed and updated at least every four years; and

WHEREAS, the transportation plan, program, and projects must be assessed for air quality conformity as required by the conformity regulations originally published by the Environmental Protection Agency in the November 24, 1993 Federal Register and with latest amendments published in April 2012; and

WHEREAS, on November 16, 2016 the TPB adopted resolution R3-2017 determining that the 2016 CLRP Amendment and the FY 2017-2022 TIP conform with the requirements of the Clean Air Act Amendments of 1990 and resolution R4-2017 approving the 2016 CLRP Amendment; and

WHEREAS, on April 19, 2017 the TPB adopted resolution R20-2017 approving projects submitted by the Virginia Department of Transportation (VDOT) and the Maryland Department of Transportation (MDOT) for inclusion in, and the scope of work for, an out-of-cycle air quality conformity analysis for the 2016 CLRP Amendment and the FY 2017-2022 TIP; and

WHEREAS, in the attached letter of April 12, 2017 MDOT requested that the CLRP be amended to include the I-270 Innovative Congestion Management project in the out-of-cycle air quality conformity analysis for the 2016 CLRP Amendment and the FY 2017-2022 TIP; and

WHEREAS, MDOT has submitted a project description and inputs for the air quality conformity analysis, which have been reviewed by the Technical Committee at its meeting on May 5, 2017; and

WHEREAS, on April 13, 2017, the additional project submission for the off-cycle CLRP Amendment was released for a 30-day public comment and interagency consultation period which ended May 13; and

WHEREAS, the TPB was briefed on the additional submission to the 2016 CLRP Amendment at its April 19, 2017 and at the May 17, 2017 meeting, the TPB was briefed on the public comments received on the additional submission for the out-of-cycle CLRP Amendment, and the responses provided to the public comments; and

WHEREAS, the adoption of the off-cycle CLRP Amendment by the TPB is scheduled for the October 18, 2017 meeting upon completion of a 30-day public comment and interagency consultation on the results of the regional air quality conformity analysis for the off-cycle CLRP Amendment beginning on September 14, 2017; and

WHEREAS, the additional project submission for the off-cycle CLRP Amendment has been developed to meet the financial constraint requirements in the Metropolitan Planning Rules and show the consistency of the proposed projects with already available and projected sources of transportation revenues;

NOW, THEREFORE, BE IT RESOLVED THAT: The National Capital Region Transportation Planning Board approves for inclusion in the air quality conformity analysis of the off-cycle CLRP Amendment, the additional project submission as described in the attached memorandum.



Maryland Department of Transportation
The Secretary's Office

Larry Hogan
Governor

Boyd K. Rutherford
Lt. Governor

Pete K. Rahn
Secretary

April 12, 2017

The Honorable Bridget Donnell Newton, Chair
National Capital Region Transportation Planning Board
Metropolitan Washington Council of Governments
777 North Capitol Street, N.E., Suite 300
Washington DC 20002

Dear Chairman Newton:

The Maryland Department of Transportation (MDOT) is requesting an amendment to the National Capital Region Transportation Planning Board's (TPB) 2016 Constrained Long Range Plan (CLRP), which will require an air quality conformity analysis, to include construction of the I-270 Innovative Congestion Management Project.

The I-270 Innovative Congestion Management Project (CLRP #3564) proposes an automated smart traffic system which includes roadway improvements and innovative technologies that will maximize vehicular throughput, minimize vehicle travel times, and create a more predictable commute along I-270 between I-495 and I-70. This project already is included in the current 2016 CLRP as a part of a study for the I-270/I-495 West Side Corridor (CLRP #3281). The state funds for this project are included in the approved FY 2017-2022 Transportation Improvement Program (TIP). The project is now ready for implementation and the scope and scale of the project has been finalized. This amendment will add this project to the CLRP for construction and advance the completion date to 2019.

The proposed amendment to add the I-270 Innovative Congestion Management Project as a new CLRP project (CLRP #3564) reflects the following project elements:

- Fourteen roadway improvements (detailed in the attached CLRP form) that will increase capacity and vehicle throughput and address safety deficiencies by strategically eliminating existing bottlenecks.
- Innovative technologies and techniques, comprised of adaptive ramp metering, active traffic management and virtual weigh stations. These three technologies and techniques constitute an automated smart traffic flow management system that combines real-time communication to drivers, traffic monitoring with cameras and sensors, and intelligent signal systems.
- The limits of this project are from I-495 to I-70 including the east and west spurs of I-270.

My telephone number is _____
Toll Free Number 1-888-713-1414 TTY Users Call Via MD Relay
7201 Corporate Center Drive, Hanover, Maryland 21076

The Honorable Bridget Donnell Newton
Page Two

The proposed amendment has been determined to be regionally significant for air quality conformity purposes per the TPB's process of applying federal air quality conformity regulations in conducting regional air quality conformity analyses for the CLRP and the TIP. Since this project is estimated to be completed in 2019, MDOT is requesting an off-cycle conformity analysis to meet requirements necessary to meet the construction timeline. MDOT requests that this amendment be included in the off-cycle air quality conformity analysis that is soon to be underway.

The MDOT agrees to partially reimburse the TPB for the costs incurred in processing this CLRP amendment including those costs for revising the regional air quality conformity analyses under MDOT's Technical Assistance portion of the approved FY 2018 Unified Planning Work Program (UPWP).

We appreciate your cooperation in this matter. Should you have additional questions or concerns, please contact Ms. Kari Snyder, MDOT Office of Planning and Capital Programming (OPCP) Regional Planner at 410-865-1305, toll free 888-713-1414, or via e-mail at ksnyder3@mdot.state.md.us. Ms. Snyder will be happy to assist you.

Sincerely,



Heather Murphy *for*
Director
Office of Planning and Capital Programming

cc: Ms. Kari Snyder, Regional Planner, OPCP, MDOT

FINANCIALLY CONSTRAINED LONG-RANGE TRANSPORTATION PLAN FOR 2040 PROJECT DESCRIPTION FORM



BASIC PROJECT INFORMATION

1. Submitting Agency: **MDOT/State Highway Administration**
2. Secondary Agency:
3. Agency Project ID:
4. Project Type: Interstate Primary Secondary Urban Bridge Bike/Ped Transit CMAQ
 ITS Enhancement Other Federal Lands Highways Program
 Human Service Transportation Coordination TERMS
5. Category: System Expansion; System Maintenance; Operational Program; Study; Other
6. Project Name: I-270 Innovative Congestion Management

	Prefix	Route	Name	Modifier
7. Facility:	I	270		/I-270Y
8. From (<input type="checkbox"/> at):	I	70		
9. To:	I	495		

10. Description: The I-270 Innovative Congestion Management Project proposes a two-pronged approach of roadway improvements and innovative technologies and techniques to maximize vehicular throughput, minimize vehicle travel times, and create a more predictable commuter trip along I-270 between I-70 and I-495. While the components address both recurring and nonrecurring congestion, the roadway improvements focus on relieving today’s recurring congestion, and the innovative technologies and techniques focus on managing today’s recurring and non-recurring congestion and extending the lifespan of the roadway improvements into the future.

- 14 roadway improvements (detailed below) will increase capacity and vehicle throughput and address safety deficiencies by strategically eliminating existing bottlenecks, the key element limiting vehicular throughput along the corridor, coupled with the impact of crashes and other incidents. The strategy takes a “right-sized”, practical design approach focused on minimizing impacts to maximize the improvements that can be provided throughout the corridor.
- Innovative technologies and techniques, comprised of adaptive ramp metering, active traffic management (ATM), and virtual weigh stations, that will work as a system to reduce congestion by improving traffic flow and safety. These three technologies and techniques constitute an automated smart traffic flow management system that combines real-time communication to drivers, traffic monitoring with cameras and sensors, and intelligent signal systems.

Implementing this approach will provide I-270 motorists with significant congestion relief and maximize the available budget. The approach addresses recurring congestion by reducing the severity and duration of peak periods, as well as non-recurring congestion by improving safety and providing demand management tools that can help to reduce incident impacts on travel times. As a result, travel time reliability will be improved throughout the corridor.

See attachment for further project details.

CLRP PROJECT DESCRIPTION FORM

- 11. Projected Completion Year: **2019**
- 12. Project Manager:
- 13. Project Manager E-Mail:
- 14. Project Information URL:
- 15. Total Miles:
- 16. Schematic (file upload): **See attachment**
- 17. State/Local Project Standing (file upload):
- 18. Jurisdictions: **Montgomery County, Frederick County, City of Rockville**
- 19. Baseline Cost (in Thousands): **\$105,000** cost estimate as of **12/1/2016**
- 20. Amended Cost (in Thousands): cost estimate as of
- 21. Funding Sources: Federal; State; Local; Private; Bonds; Other

Regional Policy Framework: Questions 22-27 address the goals identified in the Regional Transportation Priorities Plan. Question 28 should be used to provide additional context of how this project supports these goals or other regional needs identified in the Call for Projects.

22. Provide a Comprehensive Range of Transportation Options

Please identify all travel mode options that this project provides, enhances, supports, or promotes.

- | | | | |
|---|--|---|---|
| <input checked="" type="checkbox"/> Single Driver | <input checked="" type="checkbox"/> Carpool/HOV | | |
| <input type="checkbox"/> Metrorail | <input type="checkbox"/> Commuter Rail | <input type="checkbox"/> Streetcar/Light Rail | |
| <input type="checkbox"/> BRT | <input checked="" type="checkbox"/> Express/Commuter bus | <input checked="" type="checkbox"/> Metrobus | <input checked="" type="checkbox"/> Local Bus |
| <input type="checkbox"/> Bicycling | <input type="checkbox"/> Walking | <input type="checkbox"/> Other | |

Does this project improve accessibility for historically transportation-disadvantaged individuals (i.e., persons with disabilities, low-incomes, and/or limited English proficiency?)

23. Promote Regional Activity Centers

- Does this project begin or end in an Activity Center?
- Does this project connect two or more Activity Centers?
- Does this project promote non-auto travel within one or more Activity Centers?

24. Ensure System Maintenance, Preservation, and Safety

- Does this project contribute to enhanced system maintenance, preservation, or safety?

25. Maximize Operational Effectiveness and Safety

- Project is primarily designed to reduce travel time on highways and/or transit without building new capacity (e.g., ITS, bus priority treatments, etc.)?
- Does this project enhance safety for motorists, transit users, pedestrians, and/or bicyclists?

26. Protect and Enhance the Natural Environment

- Is this project expected to contribute to reductions in emissions of criteria pollutants?
- Is this project expected to contribute to reductions in emissions of greenhouse gases?

27. Support Interregional and International Travel and Commerce

Please identify all freight carrier modes that this project enhances, supports, or promotes.

- Long-Haul Truck Local Delivery Rail Air

Please identify all passenger carrier modes that this project enhances, supports, or promotes.

- Air Amtrak intercity passenger rail Intercity bus

28. Additional Policy Framework Response

Please provide additional written information that describes how this project further supports or advances these and other regional goals or needs.

CLRP PROJECT DESCRIPTION FORM

MAP-21 PLANNING FACTORS

29. Please identify any and all planning factors that are addressed by this project:
- a. Support the **economic vitality** of the metropolitan area, especially by enabling global competitiveness, productivity, and efficiency.
 - b. Increase the **safety** of the transportation system for all motorized and non-motorized users.
 - i. Is this project being proposed specifically to address a safety issue? Yes; No
 - ii. If yes, briefly describe (in quantifiable terms, where possible) the nature of the safety problem:
 - c. Increase the ability of the transportation system to support **homeland security** and to safeguard the personal security of all motorized and non-motorized users.
 - d. Increase **accessibility and mobility** of people.
 - e. Increase accessibility and mobility of **freight**.
 - f. Protect and enhance the **environment**, promote energy conservation, improve the quality of life, and promote consistency between transportation improvements and State and local planned growth and economic development patterns.
 - g. Enhance the **integration and connectivity** of the transportation system, across and between modes, for people and freight.
 - h. Promote efficient system **management and operation**.
 - i. Emphasize the **preservation** of the existing transportation system.

ENVIRONMENTAL MITIGATION

30. Have any potential mitigation activities been identified for this project? Yes; No
- a. If yes, what types of mitigation activities have been identified?
 - Air Quality; Floodplains; Socioeconomics; Geology, Soils and Groundwater; Vibrations;
 - Energy; Noise; Surface Water; Hazardous and Contaminated Materials; Wetlands

CONGESTION MANAGEMENT INFORMATION

31. Congested Conditions
- a. Do traffic congestion conditions necessitate the proposed project or program? Yes; No
 - b. If so, is the congestion recurring or non-recurring? Recurring; Non-recurring
 - c. If the congestion is on another facility, please identify it:
32. Capacity
- a. Is this a capacity-increasing project on a limited access highway or other principal arterial? Yes; No
 - b. If the answer to Question 32.a was "yes", are any of the following exemption criteria true about the project? (Choose one, or indicate that none of the exemption criteria apply):
 - None of the exemption criteria apply to this project – a Congestion Management Documentation Form is required
 - The project will not use federal funds in any phase of development or construction (100% state, local, and/or private funding)
 - The number of lane-miles added to the highway system by the project totals less than one lane-mile
 - The project is an intersection reconstruction or other traffic engineering improvement, including replacement of an at-grade intersection with an interchange
 - The project, such as a transit, bicycle or pedestrian facility, will not allow private single-occupant motor vehicles
 - The project consists of preliminary studies or engineering only, and is not funded for construction
 - The construction costs for the project are less than \$10 million.
 - c. If the project is not exempt and requires a Congestion Management Documentation Form, click here to open a blank Congestion Management Documentation Form.

CLRP PROJECT DESCRIPTION FORM

RECORD MANAGEMENT


- 33. Completed Year:
- 34. Project is being withdrawn from the CLRP
- 35. Withdrawn Date:
- 36. Record Creator: **Matt Baker**
- 37. Created On: **4/11/2017**
- 38. Last Updated by: **Matt Baker**
- 39. Last Updated On: **4/12/2017**
- 40. Comments:

Maryland Department of Transportation

State Highway Administration

I-270 Innovative Congestion Management

The I-270 Innovative Congestion Management Project proposes a two-pronged approach of roadway improvements and innovative technologies and techniques to maximize vehicular throughput, minimize vehicle travel times, and create a more predictable commuter trip along I-270 between I-70 and I-495. While the components address both recurring and nonrecurring congestion, the roadway improvements focus on relieving today's recurring congestion, and the innovative technologies and techniques focus on managing today's recurring and non-recurring congestion and extending the lifespan of the roadway improvements into the future.



- 14 roadway improvements (detailed below) will increase capacity and vehicle throughput and address safety deficiencies by strategically eliminating existing bottlenecks, the key element limiting vehicular throughput along the corridor, coupled with the impact of crashes and other incidents. The strategy takes a “right-sized”, practical design approach focused on minimizing impacts to maximize the improvements that can be provided throughout the corridor.
- Innovative technologies and techniques, comprised of adaptive ramp metering, active traffic management (ATM), and virtual weigh stations, that will work as a system to reduce congestion by improving traffic flow and safety. These three technologies and techniques constitute an automated smart traffic flow management system that combines real-time communication to drivers, traffic monitoring with cameras and sensors, and intelligent signal systems.

Implementing this approach will provide I-270 motorists with significant congestion relief and maximize the available budget. The approach addresses recurring congestion by reducing the severity and duration of peak periods, as well as non-recurring congestion by improving safety and providing demand management tools that can help to reduce incident impacts on travel times. As a result, travel time reliability will be improved throughout the corridor.

The following table provides descriptions of the proposed program of roadway improvements:

Improvement	Description
Southbound (SB) 1	<p>Extend acceleration and deceleration lanes at MD 80: This improvement consists of two distinct components: extending the length of the deceleration lane for the exit to MD 80 and extending the length of the acceleration lane for the entrance from MD 80. The existing merge location at the MD 80 entrance ramps is an identified bottleneck during the AM peak period. Under this concept, a longer distance for entering traffic to merge is provided. The deceleration lane from southbound I-270 to MD 80 is identified as a frequent crash area. By extending the length of the deceleration lane, vehicles are provided a longer, safer distance to reduce their speeds.</p>
SB 2	<p>Extend acceleration lane at MD 109: This improvement involves extending the length of the acceleration lane for the entrance from MD 109 to southbound I-270. The existing acceleration length does not meet AASHTO design guidelines and the reduced speed of entering traffic from MD 109 at the merge with high speed traffic on I-270 contributes to congestion during the AM peak period. This concept provides a longer distance for entering traffic to accelerate and merge.</p>
SB 5A	<p>Reconfigure exit lanes to I-370: This improvement involves restriping southbound I-270 approaching the exit to I-370 so the outside lane becomes the right lane on the two-lane exit ramp to I-370. The interior lane next to the right lane on I-270 will become a choice lane for vehicles to exit on the ramp to I-370 or continue south on I-270. In the existing configuration where no choice lane is provided, vehicles in the right lane reduce speed approaching the exit ramp and contribute to congestion on this section of I-270. This concept eliminates the need to develop a deceleration lane for the exit to I-370 and vehicles will not need to slow down on I-270 approaching the exit.</p>
SB 6	<p>Create auxiliary lane in local lanes south of Shady Grove Road: This improvement involves creating a third local lane by providing an auxiliary lane between the slip ramps south of Shady Grove Road. The entrance slip ramp from the express lanes will be connected to the first exit slip ramp to the express lanes. AM peak period traffic volumes in the local lanes approach capacity of the existing two lane section, resulting in recurring congestion. Under this concept the auxiliary lane will provide additional capacity at this bottleneck.</p>

Improvement	Description
SB 7	<p>Create auxiliary lane in local lanes between MD 28 and MD 189: This improvement involves creating an auxiliary (third) lane in the local lanes by connecting the entrance from MD 28 to the exit to MD 189. AM peak period traffic volumes in the local lanes approach capacity of the existing two lane section, resulting in recurring congestion. Under this concept, the auxiliary lane will provide additional capacity between the two interchanges.</p>
SB 10	<p>Maintain three lanes from I-270 and drop right lane on I-495 at I-270/I-495 merge: This improvement involves restriping the I-495 outer loop at the merge with the southbound I-270 west spur. Instead of dropping the inside (left) lane from the I-270 spur, the three lanes from I-270 would continue on I-495 and the right lane on I-495 would drop to maintain five lanes. During the AM peak period, recurring congestion at the I-270/I-495 merge results in queues that spill back onto the I-270 west spur. This improvement maintains capacity in three continuous lanes on the I-270 spur, the heavier traffic movement, and provides an expected merge on the right side of the highway with minimal impacts to I-495 outer loop operations approaching the merge.</p>
SB 12	<p>Create additional travel lane between Montrose Road and Democracy Boulevard: This improvement consists of restriping southbound I-270 to provide an additional travel lane within the existing typical section from the slip ramp entrance to the express lanes north of Montrose Road to the interchange at Democracy Boulevard on the west spur, a distance of approximately 3.1 miles. The large volume of weaving movements on the section of southbound I-270 between the express/local lane merge and the Y-split interchange results in substantial friction and reduced speeds during the AM peak period. In addition, the I-270 West Spur operates over capacity during the AM peak. Under this improvement, the added travel lane provides additional capacity on southbound I-270 and the I-270 West Spur. This concept uses performance-based practical design principles to continue to provide a right shoulder throughout the concept area.</p>
Northbound (NB) 1	<p>Create additional travel lane between Democracy Boulevard and Montrose Road: This improvement involves restriping northbound I-270 to provide an additional travel lane within the existing typical section between the entrance from Democracy Boulevard on the I-270 West Spur to the slip ramp exit to the local lanes just north of Montrose Road, a distance of approximately 2.7 miles. Traffic volumes on this section of northbound I-270 approach capacity of the existing lanes during the PM peak period. Under this improvement, the added travel lane provides additional capacity on the west spur and on the express lanes on northbound I-270.</p>
NB 2	<p>Create auxiliary lane in local lanes between MD 189 and MD 28: This improvement involves creating an auxiliary (third) lane in the local lanes by connecting the entrance from MD 189 to the exit to MD 28. This concept also involves restriping the northbound express lanes within the existing typical section to create an auxiliary lane by connecting the entrance slip ramp from the local lanes south of MD 28 with the exit slip ramp to the local lanes north of MD 28. Traffic volumes approach capacity of the existing two local lanes between MD 189 and MD 28 during the PM peak period. Under this improvement, the auxiliary lane provides additional capacity between the two interchanges. On northbound I-270 within the MD 28 interchange, traffic volumes exceed capacity of the existing three general purpose express lanes during the PM peak period. This improvement provides additional capacity in this section.</p>

Improvement	Description
NB 3	<p>Close loop ramp from NB Shady Grove Road to NB I-270; close slip ramp to express lanes north of Shady Grove Road:</p> <p>This improvement involves closing the existing loop ramp from northbound Shady Grove Road to northbound I-270. Northbound Shady Grove Road will be reconfigured to provide dual left turn lanes in the median north of the existing bridge over I-270, and a new left turn spur will be constructed at the existing intersection to connect with the existing entrance ramp from southbound Shady Grove Road. The existing configuration of ramp and slip ramp entrances within the Shady Grove Road interchange contributes to considerable friction and recurring traffic congestion during the PM peak period. This improvement eliminates the friction by removing a merge point on northbound I-270. This improvement also involves closing the slip ramp exit from the local lanes on northbound I-270 to the express lanes south of the I-370 interchange. The left (third) local lane that drops at the slip ramp in the existing configuration will be extended to connect with the exit to I-370. PM peak volumes approach capacity of the existing two local lanes between the exit slip ramp and I-370 and there is a short weaving movement between the Shady Grove Road entrance ramp and the exit to the express lanes. These improvements will eliminate the weave and provide additional capacity.</p>
NB 4	<p>Create auxiliary lane between MD 124 and Watkins Mill Road and between Watkins Mill Road and WB Middlebrook Road:</p> <p>This improvement consists of two improvements: an auxiliary lane will be provided in the northbound local lanes by connecting the entrance from MD 124 to the exit at the new Watkins Mill Road interchange and an auxiliary lane will be provided along northbound I-270 by connecting the entrance from Watkins Mill Road with the exit to westbound Middlebrook Road (loop ramp). Traffic volumes on northbound I-270 between MD 124 and Middlebrook Road exceed capacity of the existing three general purpose lanes during the PM peak period. Under this improvement, the added travel lane will provide additional capacity in the general purpose lanes.</p>
NB 5	<p>Extend third lane to Comus Road overpass:</p> <p>This improvement extends the right (third) lane drop from its current location north of MD 121 to Comus Road, a distance of approximately 0.8 miles. The additional lane will be provided by widening into the median. The lane drop north of MD 121 is a major source of congestion during the PM peak period. Extending the point of the lane drop, including further separating it from the end of the HOV lane will provide more distance for vehicles to merge into the two lane section.</p>
NB 7	<p>Extend deceleration lane at MD 118:</p> <p>This improvement involves extending the length of the deceleration lane for the exit to eastbound MD 118. The existing deceleration length is substandard and the exit is identified as a frequent crash area. Extending the deceleration lane will provide additional length for vehicles to slow down off of the through lanes.</p>

The proposed program of technology/ATM improvements are as follows:

Active Traffic Management (ATM) strategies involve the use of technologies to dynamically manage recurring and non-recurring congestion based on prevailing and predicted traffic conditions. The specific ATM strategies proposed for I-270 include:

- **Dynamic speed limits (DSL)**, also known as variable speed limits, to adjust speed limit displays based on real-time traffic, roadway, and/or weather conditions. DSL can be speed advisories or regulatory limits, and they will be applied to an entire roadway segment. This “smoothing” process helps minimize the differences between the lowest and highest vehicle speeds.
- **Queue warning (QW)** to provide real-time displays of warning messages (on DMS) along I-270 to alert motorists that queues or significant slowdowns are ahead. QW is also used to provide additional information to motorists as to why the speed limit is being reduced.

Adaptive Ramp Metering will automatically set the optimum vehicle rate of release at each ramp based on a variety of parameters including mainline traffic flow conditions in the vicinity of the ramp, mainline traffic flow conditions along other segments along I-270 both upstream and downstream of the ramp, queue length at the ramp, and queue lengths at other metered ramps located within the corridor. Time-of-day/day-of week scheduling can be implemented as necessary.

Ramp metering in other states has been shown to reduce mainline congestion and overall delay, while increasing mobility through the freeway network and traffic throughput. Travel times, even when considering time in queue on the ramp, have generally been reduced when ramp metering is implemented. Many regions have experienced increased travel time reliability (reduced variations in day to day travel times) due to ramp metering.

Ramp meters help break up platoons of vehicles that are entering the freeway and competing for the same limited gaps in traffic. By allowing for smooth merging maneuvers, collisions on the freeway can be avoided. Many regions have reported significant reductions in crash rates after implementing ramp metering.

Ramp metering is adaptive to provide effective ramp queue management. This adaptive metering can prevent queues from spilling onto the adjacent arterial and clogging up the local street network with stopped vehicles that are waiting to enter the freeway.

Ramp meters smooth the flow of traffic entering the freeway so vehicles can merge with mainline traffic with minimal disruption to traffic flow. Eliminating prolonged periods of stop and go conditions due to congestion can reduce vehicle emissions and fuel consumption on the freeway. Though difficult to measure, many regions have attributed reductions in carbon emissions and fuel consumption to ramp metering implementation.

Virtual Weigh Stations (VWS) are used to pre-screen trucks at highway speeds for weight and height violations. Scaling equipment embedded in the pavement of the travel lanes and adjacent height sensors measure the weight and height of a vehicle and an infrared camera photographs the vehicle and the license plate. Within seconds, a report is transmitted wirelessly to the computer of an enforcement officer located downstream of the VWS so the officer can determine if the vehicle is violating any regulations. If the vehicle is in violation, the officer can choose to pull over the vehicle for inspection and/or static weighing.

Transit

The proposed improvements will not only benefit the vehicles utilizing I-270, but transit routes, such as WMATA's Metrobus I-270 Express Line. Transit routes utilizing I-270 will see reduced travel time and increased travel time reliability which will provide better service to riders along with the potential ability to increase the number of service trips without the need for additional buses.

Schedule

Improvements with no environmental, right-of-way or utility impacts are generally scheduled for design completion within 6 to 12 months from Notice to Proceed (NTP). Improvements requiring more rigorous regulatory agency review, or with utility impacts, are scheduled for design completion within 12 to 18 months from NTP. Construction is expected to begin as early as winter of 2017-2018, and be completed by the end of 2019.

Federal Environmental Review (NEPA) Process

The program of improvements will likely be implemented as a series of distinct and separate projects. This approach affords the opportunity to streamline the process ensuring swift approvals. The design-builder will support MDOT by recommending an appropriate purpose and need addressing logical termini and critical elements such as noise analysis and Section 4(f)/park land coordination. The MDOT will ensure that all stakeholders are involved throughout the process. Also, coordination will occur with the environmental regulatory agencies. Any impacts that are unavoidable in the design process will be mitigated as required by environmental regulatory agencies.

Transportation Management Plan

Consistent with MDOT's commitment to keeping traffic flowing during construction in a safe and efficient manner, a Transportation Management Plan (TMP) will be developed with stakeholder input, including input from local jurisdictions, emergency responders, transit service providers, etc.

Coordination with Other Projects

The program of improvements is fully compatible with the Watkins Mill Interchange, located about 2,000 feet north of the I-270/MD 124 interchange. No modifications to I-270/Watkins Mill Interchange configuration are proposed; however, ramp meters will be evaluated to be added to the project. Along northbound I-270, an auxiliary lane between MD 124 and Middlebrook Road will be constructed. Some of this pavement will overlap pavement to be constructed as part of the Watkins Mill Interchange. It will be necessary to coordinate construction schedules between the two projects to determine the most effective manner to complete construction.

Public Involvement

A comprehensive Public Involvement Plan (PIP) will be provided. The plan will include regular progress updates, public meetings, displays to communicate proposed improvements, a website, etc. The project includes Maryland's first application of adaptive ramp metering as part of an active traffic management system; therefore, public education will be an important component of the PIP to familiarize the public with the technology and how to safely and efficiently navigate the new system in accordance with traffic laws.



Maryland Department of Transportation
The Secretary's Office

Larry Hogan
Governor

Boyd K. Rutherford
Lt. Governor

Pete K. Rahn
Secretary

April 25, 2017

The Honorable Bridget Donnell Newton, Chair
National Capital Region Transportation Planning Board
Metropolitan Washington Council of Governments
777 North Capitol Street, N.E., Suite 300
Washington DC 20002

Dear Chairman Newton:

The Maryland Department of Transportation (MDOT) requested an amendment to the National Capital Region Transportation Planning Board's (TPB) 2016 Constrained Long Range Plan (CLRP) on April 12, 2017. This change required an air quality conformity analysis to include construction of the I-270 Innovative Congestion Management Project. One of the project elements was left out of the official project amendment submission, and we are requesting that this element be added to the project inputs for the air quality conformity analysis and added to the information out for public comment.

The proposed amendment to add the 1-270 Innovative Congestion Management Project as a new CLRP project (CLRP #3564) is missing the following project element:

- Southbound 8 (SB 8): Reconfigure local lanes between MD 189 and Montrose Road. This improvement involves developing a third lane in the local lanes by connecting the entrance ramp from MD 189 with the exit ramp to Montrose Road. The existing inside (left) local lane becomes a dedicated exit at the slip ramp to the express lanes north of Montrose Road and two lanes continue to the exit to Montrose Road. AM peak period traffic volumes in the local lanes exceed capacity of the existing two lane section, resulting in reduced speeds and queuing. Under this concept, the third lane provides additional capacity between the two interchanges.

We appreciate your cooperation in this matter. Should you have additional questions or concerns, please contact Ms. Kari Snyder, MDOT Office of Planning and Capital Programming (OPCP) Regional Planner at 410-865-1305, toll free 888-713-1414, or via e-mail at ksnyder3@mdot.state.md.us. Ms. Snyder will be happy to assist you.

Sincerely,

Tyson Byrne
Regional Planning Manager
Office of Planning and Capital Programming

cc: Ms. Kari Snyder, Regional Planner, OPCP, MDOT

My telephone number is _____
Toll Free Number 1-888-713-1414 TTY Users Call Via MD Relay
7201 Corporate Center Drive, Hanover, Maryland 21076